



Appendix D

Emmord's Hole Results and Comparisons




Distribution of TSM averaged over the remainder of October following the disposal

PLATE D1.




Distribution of TSM after disposal averaged over November

PLATE D2 .




Distribution of TSM after disposal averaged over December

PLATE D3 .




Distribution of TSM after disposal averaged over January

PLATE D4 .




Distribution of TSM after disposal averaged over February

PLATE D5 .



Distribution of TSM after disposal averaged over March

PLATE D6 .



Distribution of TSM after disposal averaged over April






PLATE D8 .




Distribution of TSM after disposal averaged over June

PLATE D9 .




Distribution of TSM after disposal averaged over July

PLATE D10 .




Distribution of TSM after disposal averaged over August

PLATE D11.



Distribution of TSM after disposal averaged over September

PLATE D12 .



Difference in TSM caused by the disposal for the remainder of October
following the disposal





PLATE D14 .



Difference in TSM caused by the disposal for December

PLATE D15.




PLATE D16 .




PLATE D17.




PLATE D18 .




PLATE D19 .




PLATE D20 .




PLATE D21 .




PLATE D22 .




PLATE D23 .







PLATE D24 .




Twenty percent bottom irradiance isopleth for Oct following disposal (thin)
and no disposal (thick line)




November 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




December 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




January 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




February 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




March 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




April 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




May 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)




June 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)



July 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)



August 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)



September 20 percent bottom irradiance isopleth for disposal (thin line)
and no disposal (thick line)